

## Portable Underwater Imaging System GLF-UDC-V9S

### Product Features

- Wearable, Easy to maintenance, Easy to operate
- Bulk-storage Memory
- Long Life Battery
- Portable Winch
- Low-energy



### Main Specifications:

Model	GLF-UDC-V9S
Brand name	Granfoo
Image Sensor	CMOS:Aptina0130 DSP:Nextchip2431 1/3 CMOS
Resolution	960TVL
Working Depth	0-100M
Field angle	90°
Dimensions	Φ55mm×75.8mm
Screen size	8" LCD screen
Signal type	Analog camera
S/N ratio	>48dB(AOC on)
Electronic shutter	1s—1/10000s
Video starnard	PAL/NTSC optional
Video output	1.0 Vp-p / 75 Ω
Cables	φ8.5mm Length100m
Battery capacity	6600mA
Working temperature	-10° ~ 60°
Working voltage	DC 12V
Housing Material	Stainless Steel

	<ol style="list-style-type: none"> <li>1. Camera Size: <math>\Phi 55 \times 75.8 \text{mm}</math></li> <li>2. Image Sensor: 1/3 CMOS 960TVL</li> <li>3. Sapphire Lens to Protect the glass</li> <li>4. Material: 303 Stainless Steel</li> <li>5. Waterproof Level: IP68, 10Mpa</li> <li>6. Camera Angle: <math>90^\circ</math></li> <li>7. 8 high brightness LED, the light is adjustable</li> </ol>
	<ol style="list-style-type: none"> <li>1. Portable Hand Winch</li> <li>2. With Telescopic Rod</li> <li>3. Wire Diameter: <math>\Phi 8.5 \text{mm}</math></li> <li>4. 100m cord wire cable</li> </ol>
	<ol style="list-style-type: none"> <li>1. 8" TFT LCD screen</li> <li>2. Resolution: 800*600</li> <li>3. Display Scale: 4:3</li> <li>4. Screen Brightness: 400cd/m<sup>2</sup></li> <li>5. Have a sun shade and remote control</li> </ol>
	<ol style="list-style-type: none"> <li>1. 12 v DVR</li> <li>2. Current 200 ma</li> <li>3. Support Biggest 32G Storage (Standard 8G)</li> <li>4. Support photo, video, audio, etc</li> <li>5. Battery indicator light</li> <li>6. Camera LED brightness control button</li> <li>7. Microphone on and off button</li> </ol>

## Product Show



## Packing List

1. 1 pcs Camera head
2. 100m cable with 1 pcs manual winch
3. 1 pcs Control box